JOURNAL OF ALLOYS AND COMPOUNDS VOLUME 202, NUMBERS 1–2, DECEMBER 10, 1993

Contents

Letters

Range of solid solution of the superconducting ternary compound Nb_5Sn_2Ga L1
T. Shishido, K. Ukei, N. Toyota (Sendai, Japan), M. Tanaka, H. Horiuchi (Tokyo, Japan) and T. Fukuda (Sendai, Japan)

Increase in the electrical resistance of heat-treated Eu/Al films L5
A.A. Dakhel (Benghazi, Libya)

Antiferromagnetic Kondo lattice behaviour in $CePd_2Ga$ L7
I. Das, E.V. Sampathkumaran, S. Chari and K.V. Gopalakrishnan (Bombay, India)

Preparation and characterization of ternary Nd–Pr–Sb alloys L11
P. Riani, R. Marazza, G. Zanicchi, G. Cacciamani and R. Ferro (Genova, Italy)

Phase diagrams and thermodynamic properties of rare earth–antimony systems L15
M.N. Abdusalyamova (Dushanbe, Tadjikistan)

Crystal structure of λ-$MnAl_4$ L21
H.F. Franzen (Ames, IA, USA) and G. Kreiner (Dortmund, Germany)

Crystal quality and high temperature hardness of LaB_6 crystals prepared by the floating zone method L25
S. Otani, T. Tanaka and Y. Ishizawa (Ibaraki, Japan)

Regular Papers

Effect of the concentration of the Er^{3+} ion on the spectral intensity parameters of Er:YAG crystals 1
Q.Y. Wang, S.Y. Zhang and Y.Q. Jia (Changchun, China)

Magnetic properties of $NdCo_3$ and its γ-phase hydride $NdCo_3H_{4.1}$ 7
M.I. Bartashevich, K. Koui, T. Goto (Tokyo, Japan), M. Yamaguchi, I. Yamamoto and F. Sugaya (Yokohama, Japan)

Crystal structure of the compound $Ho_4Ir_{13}Ge_9$ 13
O.L. Sologub, Yu.M. Prots, P.S. Salamakha, V.K. Pecharsky and O.I. Bodak (L'viv, Ukraine)

Magnetic state of intermetallic $Ho_{1-x}Y_x(Co_{1.95}Al_{0.05})_2$ compounds 17
N.V. Baranov and A.N. Pirogov (Ekaterinburg, Russian Federation)

The intrinsic degradation behaviour of the Laves phase alloy $Zr_{0.9}Ti_{0.1}Cr_{0.9}Fe_{1.1}$ upon temperature-induced hydrogen absorption–desorption cycling 23
H.-H. Lee and J.-Y. Lee (Taejon, South Korea)

^{155}Gd Mössbauer effect and magnetic properties of ternary rare earth compounds of the type RT_2Ge_2 (T ≡ 3d, 4d) 29
F.M. Mulder, R.C. Thiel (Leiden, Netherlands) and K.H.J. Buschow (Eindhoven, Netherlands)

Eine neue Phase der Zusammensetzung $BaPb_{1.5}Mn_6Al_2O_{16}$ 37
A. Teichert und Hk. Müller-Buschbaum (Kiel, Deutschland)

Calorimetric investigation of multicomponent Laves phase interaction with hydrogen and deuterium 41
R.A. Sirotina, S.V. Mitrokhin, M.A. Zakharova and V.N. Verbetsky (Moscow, Russian Federation)

Luminescence and energy transfer in GdP_5O_{14}: Eu^{3+}, Sm^{3+} single crystals 47
Y. Yu (Changchun, China)

Band structure and superconductivity of ZrN under high pressure 51
B. Palanivel, G. Kalpana and M. Rajagopalan (Madras, India)

Crystal structure and magnetic properties of the ternary compound $YFe_{8.6}Ti_{1.1}$ and its hydride 57
R. Revel, E. Tomey, J.L. Soubeyroux, D. Fruchart (Grenoble, France), T.H. Jacobs and K.H.J. Buschow (Eindhoven, Netherlands)

Zur Dimorphie von Kupfer–Lanthanoid–Oxowolframaten am Beispiel von $CuErW_2O_8$, mit einem Beitrag über $CuDyW_2O_8$ 63
Hk. Müller-Buschbaum und T. Gressling (Kiel, Deutschland)

Elsevier Sequoia

Crystal and molecular structure of dithallium phthalocyanine at 300 K 69
J. Janczak and R. Kubiak (Wrocław, Poland)

The crystal structure of a new boron selenide, $B_{12}Se_{2-x}B_x$ 73
H. Bolmgren and T. Lundström (Uppsala, Sweden)

Phase relations and compounds in the Sm_2O_3–BaO–CuO system at 950 °C in air 77
Z. Qiao, X. Xing, W. Yuan, S. Wei, X. Chen, J. Liang and S. Xie (Beijing, China)

Electrochemical and surface properties of low cost, cobalt-free $LaNi_5$-type hydrogen storage alloys. 81
F. Meli, A. Züttel and L. Schlapbach (Fribourg, Switzerland)

Carbonate complexation of the uranyl(VI) ion 89
G. Meinrath and T. Kimura (Ibaraki, Japan)

Solid state phase equilibria in the Er–Ga–As system. 95
S. Députier, R. Guérin (Rennes, France), Y. Ballini and A. Guivarc'h (Lannion, France)

Enthalpies of formation of rare earth–3d metal alloys and intermetallic compounds. 101
G.H. Rao, S. Wu, X.H. Yan, Y.L. Zhang, W.H. Tang and J.K. Liang (Beijing, China)

A new intermetallic phase in the Pd–Pb–As system 107
P. Matković and T. Matković (Sisak, Croatia)

A new metal–spinel composite $(Fe_{0.2}Co_{0.8})_{0.8}[Fe_{2.38}Co_{0.62}O_4]$: thermal behaviour under vacuum 113
A. Malats i Riera, G. Pourroy and P. Poix (Strasbourg, France)

Diffusivity in the Nb–Al binary solid solution. 117
J.G.L. Ruiz-Aparicio and F. Ebrahimi (Gainesville, FL, USA)

Temperature and composition distributions of $FeTiH_{1.6}$ and Mg_2NiH_4 for two-dimensional hydrogen energy conduction bed model 125
M.A. El-Osairy (Alexandria, Egypt), I.A. El-Osery (Cairo, Egypt), A.M. Metwally and M.A. Hassan (Alexandria, Egypt)

Structure, magnetization and magnetostriction of $Sm_2Fe_{17-x}Al_x$ compounds. 129
C.H. Wu, W.Q. Ge, X.M. Jin, G.F. Zhou, Y.C. Chuang, Y.X. Zhu (Shenyang, China) and F.R. de Boer (Amsterdam, Netherlands)

Crystal structure of the new compound $Ce_3Pt_{23}Ge_{11}$ 133
A.V. Gribanov, Yu.D. Seropegin (Moscow, Russian Federation), O.I. Bodak, V.V. Pavlyuk, L.G. Akselrud (Lviv, Ukraine), V.N. Nikiforov and A.A. Velikhovski (Moscow, Russian Federation)

Synthesis of $AlPO_4$, $LaPO_4$ and $KTiOPO_4$ by flash combustion. 137
N. Arul Dhas and K.C. Patil (Bangalore, India)

X-Ray powder diffraction studies of the $BiSr_{3-x}La_xO_{5.5-y}$ section $(0 \leqslant x \leqslant 1)$ of the Bi–Sr–La–O system 143
M. Wołcyrz and R. Horyń (Wrocław, Poland)

Thermodynamic and degradation studies of $LaNi_5$ (closely stoichiometric)–H and $LaNi_{5-x}Mn_x$–H with $x = 0.5$–2.0 147
W. Luo, S. Luo, J.D. Clewley, T.B. Flanagan (Burlington, VT, USA), R.C. Bowman, Jr. (Azusa, CA, USA) and J.S. Cantrell (Oxford, OH, USA)

Amorphization in the Nb–Si system by mechanical alloying 161
B. Li, L. Liu, X.M. Ma (Hefei, China) and Y.D. Dong (Shanghai, China)

Crystallographic data and magnetic properties of new RTX compounds (R ≡ La–Sm, Gd; T ≡ Ru, Os; X ≡ Si, Ge). Magnetic structure of NdRuSi. 165
R. Welter, G. Venturini, B. Malaman (Vandoeuvre les Nancy, France) and E. Ressouche (Grenoble, France)

Nitrogenation of Sm_2Fe_{17}: mechanism, phases and stability. 173
C.N. Christodoulou and T. Takeshita (Saitama, Japan)

Electrochemical impedance and deterioration behavior of metal hydride electrodes 183
N. Kuriyama, T. Sakai, H. Miyamura, I. Uehara, H. Ishikawa and T. Iwasaki (Osaka, Japan)

The influence of cerium and nickel on hydrogen absorption in magnesium alloys 199
M. El Hammioui, L. Belkbir (Rabat, Morocco) and N. Gerard (Dijon, France)

Amorphization of the crystalline $CeRu_2$ hydride and the effects of Gd substitution on the amorphization behaviour 203
Y.-G. Kim, U.-I. Chung and J.-Y. Lee (Taejon, South Korea)

Resistivity and magnetic studies of the RAg_3Al_2 (R ≡ La, Ce and Pr) system 211
K. Ghosh, S. Ramakrishnan, S.K. Malik and G. Chandra (Bombay, India)

Magnetic phase transitions in Gd_3Co 215
N.V. Baranov, A.V. Andreev, A.I. Kozlov, G.M. Kvashnin (Ekaterinburg, Russian Federation), H. Nakotte (Amsterdam, Netherlands), H. Aruga Katori and T. Goto (Tokyo, Japan)

Vaporization thermodynamics of the tungsten silicides. 225
R.J. Kematick (Binghamton, NY, USA)

Investigations on electronically conducting oxide systems
XXV. Electrical and crystallographic studies of the system $Li_zCu_{1-z}Mn_2O_4$ 231
J. Töpfer and A. Feltz (Jena, Germany)

Calorimetric investigations of liquid Cu–Sb, Cu–Sn and Cu–Sn–Sb alloys 237
J.J. Lee, B.J. Kim and W.S. Min (Seoul, South Korea)

Thermodynamic dezincification behavior of brass during annealing 243
F.W. Giacobbe (Countryside, IL, USA)

Characterization of the plutonium–water reaction II: Formation of a binary oxide containing Pu(VI) 251
J.L. Stakebake, D.T. Larson (Golden, CO, USA) and J.M. Haschke (Los Alamos, NM, USA)

Hybridization and its influence on the electronic properties of UAl_2 265
J.S. Kim, W.W. Kim and G.R. Stewart (Gainesville, FL, USA)

Optical and electronic properties of the orthorhombic $MgAlB_{14}$-type borides. 269
H. Werheit, U. Kuhlmann, G. Krach (Duisburg, Germany), I. Higashi (Saitama, Japan), T. Lundström and Y. Yu (Uppsala, Sweden)

The luminescence and X-ray storage properties of Pr^{3+} and Ce^{3+} in $YNbO_4$ and M′–$YTaO_4$ 283
W.J. Schipper, M.F. Hoogendorp and G. Blasse (Utrecht, Netherlands)

$K_8In_{10}Hg$: a Zintl phase with isolated $In_{10}Hg$ clusters 289
S.C. Sevov, J.E. Ostenson and J.D. Corbett (Ames, Iowa, USA)

Author Index 295
Subject Index 297